

BATTERY OPERATED CONTROLLERS

CONTROLLERS




CONTROLLERS

CONTROLLERS

BATTERY OPERATED CONTROLLERS

SoloRain[®] 8010



- Single zone valve mounted battery operated controller.
- Single Program
- Operates on one replaceable 9 volt battery for over one year depending on usage.
- Waterproof design tested to IP68, 6 ft (1,8m)
- Installs directly on all Signature[®] Turf valves and can be fitted to many other valves through the use of adapters.
- Includes three dials for easy programming and flexible programming features.
- 8010 can be purchased mounted on a 7900 series valve (8012).

SoloRain[®] 8014



- Single zone valve mounted battery operated controller.
- 6 Programs
- Operates on one replaceable 3.6 volt lithium battery for several years depending on usage.
- Waterproof design tested to IP68, 6 ft (1,8m)
- Valve adaptors are available for the majority of competitor valve types.
- Compatible with all Signature[®] valves and can be purchased already mounted to the valve.
- Smart logic provides for current savings giving batteries longer life spans.

SoloRain[®] 8014-SR



- Single zone valve mounted battery operated controller.
- 6 Programs
- Operates on one replaceable 3.6 volt lithium battery for several years depending on usage.
- Waterproof design tested to IP68, 6 ft (1,8m)
- Valve adaptors are available for the majority of competitor valve types.
- Sensor ready for connection to any normally closed, rain, soil moisture, freeze or wind sensors.
- Compatible with all Signature[®] valves and can be purchased already mounted to the valve.

BATTERY OPERATED CONTROLLERS

SoloRain® 8014-BT



- Wirelessly connects an irrigation valve to external Bluetooth® devices such as smartphone's with Bluetooth®.
- Compatible with Signature Share™ App's for convenient programming and control. Single zone valve mounted battery operated controller.
- 6 Programs
- Operates on two replaceable 1.5 volt AA style batteries for in excess of one year depending on usage.
- Waterproof design tested to IP68, 6 ft (1,8m)
- Valve adaptors are available for the majority of competitor valve types.
- 8017-BT is sensor ready for connection to any normally closed, rain, soil moisture, freeze or wind sensors.
- Compatible with all Signature® valves and can be purchased already mounted to the valve.
- 8017-BT is upgradable to Signature Share™ Web accessed control via module upgrade.

SoloRain® 8024C



- 4 zones, valve box mounted, battery operated controller.
- 3 Programs
- Operates on two AA batteries for several years depending on usage.
- Waterproof design tested to IP68, 6 ft (1,8m)
- Works with most manufacture 9V or 12V DC solenoid
- Can have up to 250 ft (76 m) of 18 AWG direct burial wire between the 8020 series controller and the DC solenoid.
- Accommodate normally closed rain, freeze or event sensors.

SoloRain® 8030



- Single zone, remote programmable, valve mounted battery operated controller.
- 16 Programs
- Operates on one replaceable 9 volt battery for over one year depending on usage.
- Waterproof design tested to IP68, 6 ft (1,8m)
- Programming is accomplished through the 8071 handheld programmer which can be used on unlimited 8030 actuators. The built in memory in the 8071 allows storage of up to 36 different programs.
- Installs directly on to all Signature® Turf valves and can be fitted to many other valves through the use of adapters.
- 8030 can be purchased mounted on a 7900 series valve (8032).

* SCS Share Website System Requirements

Supported Browsers (JavaScript Enabled):

- Internet Explorer 9+
- Google Chrome 30+
- Mozilla Firefox 24+
- Safari 5+

Other Requirements:

- Adobe Flash Player
- Best viewed at 1024 x 768 or higher resolution



BATTERY OPERATED CONTROLLERS OVERVIEW

APPLICATIONS	SoloRain®			
	8010	8014	8014SR	8014BT
Residential Applications	✓	✓	✓	✓
Commercial Applications	✓	✓	✓	✓
Sports Turf Applications	✓	✓	✓	✓
Retrofit Older Systems	✓	✓	✓	✓

FEATURES

Bluetooth				✓
Single Zone	✓	✓	✓	✓
Multi Zone				
Programs	1	6	6	6
Network Ready				
9V Alkaline Battery	✓			
3.6V Lithium Battery		✓	✓	
1.5 AA battery (x2)				✓
Sensor Ready			✓	✓

APPLICATIONS	SoloRain®		
	8024	8028	8030
Residential Applications	✓	✓	✓
Commercial Applications	✓	✓	✓
Sports Turf Applications	✓	✓	✓
Golf Course Applications	✓	✓	✓
Retrofit Older Systems	✓	✓	✓
Isolated Locations Without Power	✓	✓	✓

FEATURES

Single Zone			✓
Multi Zone	4	4	
Programs	3		16
Network Ready		✓	
9V Alkaline Battery			✓
3.6V Lithium Battery			
1.5 AA Battery (x2)	✓	✓	
Sensor Ready	✓	✓	



FOR MORE INFORMATION

SIGNATURE CONTROL SYSTEMS, INC.

www.SignatureControlSystems.com

WORLD HEADQUARTERS

16485 Laguna Canyon Rd., Suite 130, • Irvine • California • 92618
Tel: 949.580.3640 • Fax: 949.580.3645

USA TOLL FREE:

8 6 6 . 4 S I G N A T U R E